

Finger Print Access Control Reader - X7



System Overview :

X7 An innovative biometric fingerprint reader for access control applications. Offering unparalleled performance using an advanced algorithm for reliability, precision and excellent matching speed.


It **operates on standalone mode** with the interface for third party electric lock, alarm, door sensor, exit button and doorbell. Keypad operation is easy and convenient, such as, enrolling user, deleting user and accessing control parameter settings etc.

Specification :


- **Card Capacity** : 500PCS (Proximity Card 125KHz)
- **Finger Print Capacity** : 500PCS
- **Sensor** : Optical Sensor
- **Access Control Interface** : 3rd Party Electric Lock, Alarm Door Sensor, Exit Button and Door Bell
- **Size** : 88mm(L) x 88mm(W) x 33.6mm(H)
- **System Operation** : 12VDC 500mA (50mA Standby)
- **Operating Temperature** : 0°C ~ +40°C

Finger Print Access Control Reader - X7

Configuration



Dimensions (mm)



eLock[®]
Your Security is Our Responsibility

Kyodensha Technologies (M) Sdn Bhd (2057536-M)
Digit Innovation Technologies (M) Sdn Bhd (648972-U)

No. 12A Jalan PPU3A,
Pusat Teknologi Sinar Puchong
47150 Puchong Selangor, Malaysia

TEL +603-8066 4636 +6038051 5788
FAX +603-8051 4919
WEB www.elock2u.net
EMAIL enquiry@elock2u.net